


HLAJENI in ZARMZOVALNI PULTI GN 1/1 – INOX



Tehnične karakteristike proizvoda

MODEL	GN2100TN	GN2100BT
Dimenzije	1360d x 700g x 850v mm	1360d x 700g x 850v mm
Moč	230 VAC, 340 W	230 VAC, 700 W
Temp:	-2/+8 °C	-18/-22 °C
Max.delovna temp:	43 °C	43 °C
Material:	inox,	inox,
Litri:	300 l	300 l
Hlajenje:	Dinamično, plin R134A	Dinamično, plin R404A
Rešetke:	2 kos + vodila dim. 530x325mm	2 kos + vodila dim. 530x325mm
Teža:	98 kg	103 kg


HLAJENI IN ZAMRZOVALNI PULTI GN 1/1 – INOX



Tehnične karakteristike proizvoda

MODEL	GN3100TN	GN3100BT
Dimenzije	1795d x 700g x 850v mm	1795d x 700g x 850v mm
Moč	230 VAC, 350 W	230 VAC, 750 W
Temp:	-2/+8 °C	-18/-22 °C
Max.delovna temp:	43 °C	43 °C
Material:	inox,	inox,
Litri:	417 l	417 l
Hlajenje:	Dinamično, plin R134A	Dinamično, plin R404A
Rešetke:	3 kos police 1/1	3 kos police 1/1
Teža:	134 kg	137 kg

HLAJENI IN ZAMRZOVALNI PULTI GN 1/1 – INOX



Tehnične karakteristike proizvoda

MODEL	GN4100TN	GN4100BT
Dimenzije	2230d x 700g x 850v mm	2230d x 700g x 850v mm
Moč	230 VAC,350 W	230 VAC,750 W
Temp:	-2/+8 °C	-18/-22 °C
Max.delovna temp:	43 °C	43 °C
Material:	inox,	inox,
Litri:	553 l	553 l
Hlajenje:	Dinamično, plin R134A	Dinamično, plin R404A
Rešetke:	4 kos police 1/1	4 kos police 1/1
Teža:	153 kg	155 kg

HLAJENI PULTI GN 1/1 – STEKLENA VRATA



MODEL	GN 2100TNG	GN3100TNG	GN4100TNG
Dimenzije mm	1360d x 700g x 850v	1765d x 700g x 850v	2230d x 700g x 8500v
Moč	230 VAC,340 W	230 VAC,340 W	230 VAC,340 W
Temp:	-2/+8 °C	-2/+8 °C	-2/+8 °C
Max. temp:	43 °C	43 °C	43 °C
Material:	inox, vrata steklo	inox, vrata steklo	inox, vrata steklo
Litri:	300 l	430l	
Hlajenje:	Dinamično, plin R134A	Dinamično, plin R134A	Dinamično, plin R134A
Rešetke:	2 kos + vodila dim. 530x325mm	3kos + vodila dim. 530x325mm	4kos + vodila dim. 530x325mm
Teža:	98 kg		

HLAJENI PULTI SNACK



MODEL	SNECK 2100TN	SNECK 3100TN	SNECK 4100TN
Dimenzije mm	1360d x 600g x 850v	1765d x 600g x 850v	2230d x 600g x 8500v
Moč	230 VAC,340 W	230 VAC,340 W	230 VAC,340 W
Temp:	-2/+8 °C	-2/+8 °C	-2/+8 °C
Max. temp:	43 °C	43 °C	43 °C
Material:	inox, vrata steklo	inox, vrata steklo	inox, vrata steklo
Litri:	228 l	339 l	449 l
Hlajenje:	Dinamično, plin R134A	Dinamično, plin R134A	Dinamično, plin R134A
Rešetke:	2 kos + vodila dim. 330x430mm	3kos + vodila dim. 330x430mm	4kos + vodila dim. 330x430mm
Teža:	88 kg	125 kg	143 kg

HLAJENI PULTI SLAŠČIČARSTVO



MODEL	PA 2100TN	PA 3100TN
Dimenzije	1510d x 800g x 850v mm	2020d x 800g x 850v mm
Moč	230 VAC,350 W	230 VAC,350 W
Temp:	+2/+8 °C	+2/+8 °C
Max.delovna temp:	43 °C	43 °C
Material:	inox,	inox,
Litri:	390 l	580 l
Hlajenje:	Dinamično, plin R134A	Dinamično, plin R134A
Rešetke:	2 kos police 405x630	3kos police 405x630
Teža:	140 kg	152 kg