

SKICA

OPIS

MOD.

**PIZZA PULT**

- ◆ dim.: 2025d x **800g** x 990v
(višina brez zgornje vitrine)
- ◆ Tem: +2 / +8 C
- ◆ 3x hlajena vrata
- ◆ Hlajenje ventilirano
- ◆ Termostat elektronski
- ◆ Avtomatsko izhlapevanje kondenza
- ◆ Moč: 350W, 230V., 50GHz

PZ3600
TN38

PZ3600TN38 (+2° +10°C)

dim. 2025x800x1415 h

PZ3600
TN33

RI20038V CAP. 9 GN1/3

Bacinelle escluse - Basins not included - Bacs exclus - Schüsseln ausgenommen

**PZ3600TN33 (+2° +10°C)**

dim. 2025x800x1415 h

RI20033V CAP. 10 GN1/4

Bacinelle escluse - Basins not included - Bacs exclus - Schüsseln ausgenommen

**PIZZA PULT**

- ◆ dim.: 1400d x **700g** x 14150v
- ◆ Tem: +2 / +8 C
- ◆ 3x hlajena vrata
- ◆ Hlajenje statično
- ◆ Moč: 230W, 230V., 50GHz

S903PZ
VRX
GLASS

S903PZ VRX GLASS (+2° +8°C)

dim. 1400x700x1415 h

RI14033V

RI14033V CAP. 6 GN1/4

Bacinelle escluse - Basins not included - Bacs exclus - Schüsseln ausgenommen

N. 1 griglia GN1/1 per porta

No. 1 grille GN1/1 per door.

N. 1 grille GN1/1 par porte.

N. 1 Gitterfläche GN1/1 pro Tür.

**PIZZA PULT**

- ◆ dim.: 900d x **700g** x 1010v
- ◆ Tem: +2 / +8 C
- ◆ 2x hlajena vrata
- ◆ Hlajenje statično
- ◆ Moč: 230W, 230V., 50GHz
- ◆ Kapaciteta: 5 x GN 1/6

PS900

HLAJENE VITRINE ZA PIZZERIO

VITRINA BREZ STEKLA



MODEL	ZUNANJE DIM.	NOTRANJE DIM.	EL.MOČ	TEMP.
RI12033	120 x 33 x 23	GN ¼ x 5	220V, 50Hz, 340W	+2/+8° C
RI15033	150 x 33 x 23	GN ¼ x 7	220V, 50Hz, 340W	+2/+8° C
RI18033	180 x 33 x 23	GN ¼ x 9	220V, 50Hz, 340W	+2/+8° C
RI20033	200 x 38 x 23	GN 1/3 x 9	220V, 50Hz, 340W	+2/+8° C

MODEL	ZUNANJE DIM.	NOTRANJE DIM.	EL.MOČ	TEMP.
RI12038	120 x 38 x 23	GN 1/3x3 + GN 1/2x1	220V, 50Hz, 340W	+2/+8° C
RI15038	150 x 38 x 23	GN 1/3x5+ GN 1/2x1	220V, 50Hz, 340W	+2/+8° C
RI15038	180 x 38 x 23	GN 1/3 x 8	220V, 50Hz, 340W	+2/+8° C
RI20038	200 x 38 x 23	GN 1/3 x 9	220V, 50Hz, 340W	+2/+8° C

VITRINA S STEKLOM



MODEL	ZUNANJE DIM.	NOTRANJE DIM.	EL.MOČ	TEMP.
RI12033V	120 x 33 x 40	GN ¼ x 5	220V, 50Hz, 340W	+2/+8° C
RI15033V	150 x 33 x 40	GN ¼ x 7	220V, 50Hz, 340W	+2/+8° C
RI18033V	180 x 33 x 40	GN ¼ x 9	220V, 50Hz, 340W	+2/+8° C
RI20033V	200 x 38 x 40	GN 1/3 x 9	220V, 50Hz, 340W	+2/+8° C

MODEL	ZUNANJE DIM.	NOTRANJE DIM.	EL.MOČ	TEMP.
RI12038V	120 x 38 x 40	GN 1/3x3 + GN 1/2x1	220V, 50Hz, 340W	+2/+8° C
RI15038V	150 x 38 x 40	GN 1/3x5+ GN 1/2x1	220V, 50Hz, 340W	+2/+8° C
RI18038V	180 x 38 x 40	GN 1/3 x 8	220V, 50Hz, 340W	+2/+8° C
RI20038V	200 x 38 x 40	GN 1/3 x 9	220V, 50Hz, 340W	+2/+8° C